

PT ERA SINERGI TEKNOVASI

STORE & WAREHOUSE

DEPOK

JL. Curug Agung No.11B Tanah Baru. Kecamatan Beji
Kota Depok, Jawa Barat. 16426.

KAB. BOGOR

JL. Villa Mutiara Lido No.1 Blok E2 Cigombong
Kab. Bogor Jawa Barat. 16110

PRODUCT catalog



4GE+1POTS+1USB+2,4G&5GWIFI
PPPOE/STATIC IP/DHCP/,DUALBAND,OMCI

Status	Network	Security	Application	Administration	Maintenance
Device Information					
Device information			Model	F670L	
Network Information			Serial Number	702E22-RTETQB8H0219444	
User Information			Hardware Version	V9.0	
VoIP Status			Software Version	V9.0.0P1T6	
Remote Management Status			Boot Loader Version	V9.0.0P1T6	
			Gpon Sn	RTEGC6027C15	
			Batch Number	07e3P1T101a6	

4GE+1POTS+1USB+2,4G&5GWIFI
PPPOE/STATIC IP/DHCP/,DUALBAND,OMCI

Current Time: 1970-01-01T00:15

Home

Internet

Local Network

VoIP

Status

System Management

Account Management

Log Management

TR069 Management

Diagnosis

Page Information

This page shows the basic information of device.

▼ Device Information

Device Type	F670L
Device Serial No.	74B57E-ELWGC3CAF025
Batch No.	07e5P1N12A0324
Hardware Version	V9.0
Software Version	V9.0.10P1N12A
Boot Version	V2.2.0P1N8


4GE+1POTS+2USB+2,4G&5GWIFI
PPPOE/STATIC IP/DHCP/,DUALBAND,OMCI

-Status		Path:Status-Device Information -Device information	
-Device Information		Model	F670L
Device Information		Serial Number	001141-YEKFCB7AFAA
+Network Information		Hardware Version	V8.3
+User Information		Software Version	V8.3.0P10T12
+VoIP Status		Boot Loader Version	V8.3.0P10T12
+Remote Management Status		PON Mode	GPON
+Network			
+Security			

1GE+3FE+1POTS+1USB+WIFI
BRIDGE,STATIC,PPPOE,VLAN,MULTI-SSID

EPON/ 4+1-WiFi(2.4G)	Status	BasConfig	AdvConfig	DevManag	QuickCfg
[Device Summary WAN Side User Side statistical data ITMS/RMS Voice Register information]					
Basic equipment information		Operator	COMMON Oprater		
		Device model	F477V2		
		Device identification number	001141-YEKFCFLN48CA160		
		batch number	07e2P2T900d1		
		Hardware version number	V8.0		
		Software version number	V8.0.0P2T9		
		region code information	region code configuration is normal		

ACCECORIES



BAREL RJ 45



BAREL ADAPTOR APC



BAREL ADAPTOR UPC



SLEEVE CORE



SLEEVE DW



JACK DC APC
MALE / FEMALE



JACK DC UPC
MALE / FEMALE



PATCHORE LAN



SOLASI HITAM



ADAPTOR GOOD QUALITY
12 V 1A



ADAPTOR STANDART
12 V 1A



ADAPTOR STANDART
12 V 1,5A



GPON F670L



XPON F670L



XPON F477 V2

ACCESSORIES



PIGTAIL APC



PIGTAIL UPC



PIGTAIL OUTDOOR APC



PIGTAIL OUTDOOR UPC



PATCH CORED UPC

SC - UPC/SC-UPC



PATCH CORED UPC

SC - UPC/LC-UPC



PATCH CORED UPC

LC - UPC/LC - UPC (DUPLEX)



PATCH CORED UPC

LC - UPC/LC - UPC (SIMPLEX)



PATCH CORED APC

SC - APC/SC-APC



PATCH CORED APC

SC - APC/LC-APC



PATCH CORED APC

LC - UPC/LC - UPC (DUPLEX)



PATCH CORED APC

LC - APC/LC - APC (SIMPLEX)

XPON F609 V9



1GE+3FE+1POTS+1USB+WIFI
OMCI,TR609,PPPOE,STATIC,DHCP,BRIDGE

-Status

Path:Status-Device Information

Device Information
+Network Interface
+User Interface
VoIP Status
Network
Security
Application
Administration

Model F609
Serial Number ZTEGC176D9FF
Hardware Version V9.0
Software Version V9.0.0P1T6
Boot Loader Version V9.0.2
Batch Number 07e3P1T101a4

XPON F660 V9



1GE+3FE+1POTS+1USB+WIFI
OMCI,TR609,PPPOE,STATIC,DHCP,BRIDGE

F660 v9

Status | Network | Security | Application | Administration | Maintenance
Device Information
Device information
Network Information
User Information
VoIP Status
Remote Management Status

Model F660
Serial Number 702E22-RTETQB8H0211772
Hardware Version V9.0
Software Version V9.0.0P1T6
Boot Loader Version V9.0.0P1T6
Batch Number 07e3P1T101a6

XPON H3-2S



4GE+2USB+2.4G&5GWIFI
ROUTER,STATIC,DHCP,BRIDGE,PPPOE


Status | Network | Security | Application | Administration | Maintenance
Device Information
Device information
Network Information
User Information
VoIP Status
Remote Management Status

Model H3-2s
Serial Number C80C53-CMDC11C316AD
Hardware Version V9.0
Software Version V9.0.10P1N12A
Boot Loader Version V1.1.0
Gpon Sn CMDC11C316AD
Batch Number 07e3P1T101a6

XPON C DATA



1GE+1FE+WIFI
ROUTER,STATIC,DHCP,BRIDGE,PPPOE



FD512XW-R460

1GE+3FE+1POTS+1USB+WIFI
BRIDGE,STATIC,PPPOE,VLAN,MULTI-SSID

XPON GM220-S

Status	Network	Security	Application	Administration	Maintenance
Device Information					
Device information		Model GM220-S			
		Serial Number 689FF0-RTEEQ9XFA915927			
Network Information		Hardware Version V1.0			
User Information		Software Version V7.1.10P2T1			
VoIP Status		Boot Loader Version V7.1.10P2T1			
Remote Management Status		Batch Number 07e3P1T101a6			

4GE+1POTS+1USB+2.4G&5GWIFI
OMCI,BRIDGE,STATIC,PPPOE

XPON GM630

-Status	Path:Status-Device Information	Logout
Device Information		
+Network Information	Model GM630 XPON	
+User Information	serial Number 1C25E1-CIOT25E09A58	
+VoIP Status	hardware Version V1.1.01	
+Management of intelligent-applications	software Version V1.1.20P1T4	
+Network	PON Serial Number CIOT25E09A58	
+Security	boot Loader Version V2.0.5	
+Application	Batch Number 07e3P1T400db	
+Administration		

1GE+3FE+1POTS+1USB+WIFI
ROUTER,STATIC,DHCP,BRIDGE,PPPOE

XPON F663NV3A

-Status	Path:Status-Device Information	Logout
Device Information		
+Network Information	model F663NV3a	
+User Information	serial Number 07E3AF-RTEGC607E3AF	
+VoIP Status	hardware Version V9.0	
+Management of intelligent-applications	software Version V9.0.10P1T1	
+Network	PON Serial Number RTEGC607E3AF	
+Security	boot Loader Version V1.1.1	
+Application	Batch Number 07e3P1T400db	
+Administration		

1GE+3FE+1POTS+1USB+WIFI
ROUTER,STATIC,DHCP,BRIDGE,PPPOE

USED
XPON F663NV3A

ZTE	Path:Status-Device Information	Logout
Device Information		
+Network Interface	Model F663NV3A	
+User Interface	Serial Number ZTEGC849969F	
VoIP Status	Hardware Version V3.1	
Network	Software Version V1.0.0P1T6	
Security	Boot Loader Version V1.1.2	
Application	Batch Number 07e3P1T101a4	
Administration		

BOX FIBER



BOX HITAM X6



ODP BOX 24 CORE



ODP BOX 24 CORE
BLACK



JOINT CLOSURE 24 CORE
MINI



JOINT CLOSURE 48 CORE



JOINT CLOSURE 48 CORE
DOME

ROUTER



MERCUSYS MS105 5 PORT



MERCUSYS 300 MBPS



TP-LINK SWITCH LS1008



ROUTER HS AIRPRO
WR200N

FIBER CABLE



PRECON SC UPC SC UPC

50M - 250M

PRECON SC APC UPC

50M - 250M

PRECON SC APC APC

50M - 250M



**DROPCORE 1CORE 3SELING
1000 M**

**DROPCOR 2 CORE 3SELING
1000 M**

**DROPCORE 4CORE 3SELING
1000M**

**DROPCORE 2CORE ARMOUR
5 MILLI 1000M**



**ADSS MINI 6 CORE
2000M**

**ADSS MINI 12 CORE
2000M**



ADSS 24 CORE

ADSS 48 CORE

XPON EG8145V5



EG8145V5	
-Status Device Information +Network Information +User Information +VoIP Status +Network +Security +Application Administration	Path:Status-Device Information Model EG8145V5 hardware Version 159D.A software Version V2.0.10P1T1 pon Serial Number ZICG18834B54 Batch Number 07e3P1T400db

XPON EG8141A5



EG8141A5	
Device WAN Optical Service Provision... VoIP Eth Port WLAN Home Network	1GE+3FE+1POTS+1USB+WIFI PPPOE,STATIC,DHCP,VLAN Device Information On this page, you can view basic device information. Basic Information Device Type: EG8141A5 Description: EG8141A5 GPON/EPON Terminal (CLASS B+/PX20+/PRODUCT ID:21500083369AGJ107847/CHIP:000000220181028) S/N: 485754430F1E0798 (HWTCOF1E0798) Hardware Version: 147CA Software Version: V5R02C005200 Manufacture Info: 21500083369AGJ107847.C402 ONT Registration Status: O1(Initial state) ONT ID: 255 CPU Usage: 19% Memory Usage: 45% Custom Info: COMMON System Time: 1981-01-01 00:07:14+00:00

XPON HG8245H5



EG8141A5	
Device Information WAN Information Optical Information... Service Provision... VoIP Information Eth Port Informat... WLAN Information Smart WiFi Coverag...	1GE+3FE+1POTS+1USB+WIFI OMCI,TR609,PPPOE,STATIC,DHCP,BRIDGE Device Information On this page, you can view basic device information. Device Type: HG8245H5 Description: EchoLife HG8245H5 GPON/EPON Terminal (CLASS B+/PX20+/PRODUCT ID:2150086762LDP8120438/CHIP:000050020160429) S/N: 485754435953F4AD (HWTC5953F4AD) Hardware Version: AC7A Software Version: V3R017C105125 Manufacture Info: 2150086762LDP8120438.C412 ONT Registration Status: O1(Initial state) ONT ID: 255 CPU Usage: 1% Memory Usage: 73% Custom Info: COMMON System Time: 1981-01-01 00:05:04+00:00

XPON HG8546M V2



XPON Setting Fast Setting telecomadmin	
Device Information WAN IPv4 Informat... WAN IPv6 Informat... Optical Information... Service Provision... VoIP Information Eth Port Informat...	1GE+3FE+1POTS+1USB+WIFI OMCI,TR609,PPPOE,STATIC,DHCP,BRIDGE Device Information On this page, you can view basic device information. Device Type: HG8546M-XPON PON SN: CMDCDD4EAD8C Hardware Version: 14PCA Software Version: V3R019C105100 Producing Information: 2024/07/07 15:37:30 MAC: 987D:DD4EAD:8C Gateway Registration Information Light path (OLT) certification: Certification successful Management (RMS) register: registration success



1GE+3FE+1POTS+1USB+WIFI
OMCI,TR609,PPPOE,STATIC,DHCP,BRIDGE

Device Information		
On this page, you can view basic device information.		
Device Type:	HG8546M	
Description:	EchoLife HG8546M GPON/EPON Terminal (CLASS C+/PX20+/PRODUCT ID:2150083168AGH4882345/G-HP-00050020170324)	
SN:	4857544310EB5929 (HWTC10EB5929)	
Hardware Version:	10C7 A	
Software Version:	V3R017C10S125	
Manufacture Info:	2150083168AGH4882345.C822	
ONT Registration Status:	01(Initial state)	
ONT ID:	255	
CPU Usage:	70%	
Memory Usage:	86%	
Custom Info:	COMMON	
System Time:	1981-01-01 00:05:36+00:00	

EASTNET
Network equipment and Solutions

FIBER CONVERTER



NETLINK HTB 3100 25KM

A, B, A-B



NETLINK - GS - 03 - GIGABIT

A, B, A-B



1GE+3FE+1TEL+2,4G WIFI
PPPOE,TR609,DHCP,IPTV

GPON SMART XPON Model: HG6201M	
Status	Network
State	WAN Info
" ' & > \ are Special characters are not available for configuration	
Model Name:	HG6201M
Device ID:	3CFB5C-FH7T5C3E1E30
Hardware Version:	MT.V2.0
Software Version:	G76Y1.00M1107

SPLITTER



SPLITTER PLC BOX 1:2

APC UPC



SPLITTER PLC BOX 1:4

APC UPC



SPLITTER PLC BOX 1:8

APC UPC



SPLITTER PLC BOX 1:16

APC UPC



1GE+3FE+1POTS+1USB+WIFI
ROUTER,STATIC,DHCP,BRIDGE,PPPOE

MODEL: ZXHN F663NV9 Log	
Status	Network
Device Information	Network Information
Model	ZXHN F663NV9
GPON SN	ZTEGCAAC6AF4
PON MAC	E8:A1:F8:EE:FD:D0
Hardware Version	V9.0
Software Version	V9.0.0P1T8
Boot Loader Version	V9.0.0P1T8
PON Mode	GPON



SPLITTER PLC BOX 1:32

APC UPC



SPLITTER MODULAR 1:2

APC UPC



SPLITTER MODULAR 1:4

APC UPC



1GE+3FE+2USB+1POTS+2,4G&5G+WIFI
PPPOE/STATIC IP/DHCP/,DUALBAND,OMCI

Model Name: PT939-XPON	
Status	Network
Device Information	Network side information
Model Name:	PT939-XPON
SN:	68D18AYHTCBA433310
GPON SN:	YHTCBA433310
HardwareVersion:	V1.0
SoftwareVersion:	V1.0.03



SPLITTER MODULAR 1:8

APC UPC



SPLITTER MODULAR 1:16

APC UPC



SPLITTER MODULAR 1:32

APC UPC

XPON HG8546M V1

XPON HG6201M

XPON F663NV9

XPON PT939 G